

TABLE OF CONTENTS

CHAPTER	TITLE	PAGE
	DECLARATION	ii
	DEDICATION	iii
	ACKNOWLEDGMENT	iv
	ABSTRACT	v
	ABSTRAK	vi
	TABLE OF CONTENTS	vii
	LIST OF TABLES	x
	LIST OF FIGURES	xi
	LIST OF ABBREVIATIONS/ SYMBOLS	xiv
	LIST OF APPENDICES	xv
1	INTRODUCTION	1
	1.1 Overview	1
	1.2 Background of Project	2
	1.3 Project Statement	4
	1.4 Research Question	4
	1.5 Objectives of project	4
	1.6 Scopes of project	5
2	LITERATURE REVIEW	6
	2.1 Introduction	6
	2.2 Ball mill	7
	2.2.1 Type of ball mill	10

2.2.2	Grinding Media	13
2.2.3	Factor Affect Ball Mill Process	15
2.2.3.1	Grinding Media Size	16
2.2.3.2	Rotation Speed of Jar	18
2.2.3.3	Processing Time	20
2.2.3.4	Grinding Media Quantity	20
2.2.3.5	Shape of Grinding Media	21
2.3	Charcoal	21
2.3.1	Activated Carbon Charcoal	22
2.3.2	Powdered Activated Carbon (PAC)	26
2.3.3	Production of Activated Carbon	28
2.4	Design of Experiment	29
2.4.1	Variables of Experimental Design	30
2.4.2	Full Factorial Design	31
2.4.3	Response Surface Methodology	34
3	RESEARCH DESIGN	39
3.1	Introduction	39
3.2	Research Design Variables	39
3.3	Material	40
3.4	Machine and Equipment	43
3.5	Experiment and Analysis	46
3.5.1	Experimental Procedure	46
3.5.2	Analyzing Procedure	50
4	RESULTS AND DISCUSSIONS	51
4.1	Introduction	51
4.2	Experimental Results	51
4.2.1	Optimization of Experiment	64
4.2.2	Confirmation Test	72
4.2.3	Particle Size Distribution	73
4.3	Discussions	75
4.3.1	Experimental Design Result	75

4.3.2	Particles Size Distribution Result	77
4.3.3	Confirmation of Particle Size	80
5	CONCLUSIONS AND RECOMMENDATIONS	84
5.1	Introduction	84
5.2	Conclusions	84
5.3	Recommendations for Future Work	86
	REFERENCES	87
	Appendices A - F	89 - 96

LIST OF TABLES

TABLE NO.	TITLE	PAGE
2.1	Design selection guideline	37
3.1	Independent variable for project	40
3.2	Activated carbon specification from KD Technology Sdn Bhd	42
3.3	Value of independent variables	47
3.4	Experimental design plan for this project	48
3.5	Parameter condition for investigating size distribution	49
4.1	Experimental result	52
4.2	ANOVA table for weight of activated carbon powder	54
4.3	Summary of significant factors in experiment	63
4.4	Experimental design and result	64
4.5	ANOVA table (partial sum of squares) for response surface quadratic model (response: powder weight)	66
4.6	Resulting ANOVA table (partial sum of squares) for reduced quadratic model (response: powder weight)	67
4.7	Optimum values of parameters to produces maximum powder amount	72
4.8	Confirmation test result	73
4.9	Particle size distribution for low condition	73
4.10	Particle size distribution for median condition	74
4.11	Particle size distribution for high condition	74
4.12	Type of samples that were measured using FESEM	81
5.1	Feasible range of processing parameters in this project	85

LIST OF FIGURES

FIGURE NO.	TITLE	PAGE
1.1	Main parts of the developed ball mill machine	3
2.1	Basic parts of a ball mill	7
2.2	Homemade ball mill	9
2.3	Industrial ball mill	9
2.4	Manholes of batch ball mill	10
2.5	Continuous ball mill	11
2.6	Vertical rotating ball mill	12
2.7	A planetary ball mill	13
2.8	Breakage of material using variety range of ball size	16
2.9	Schematic explanation of ball-containing fraction	19
2.10	Relation between critical rotation speed and ball-containing fraction	19
2.11	SEM photographs of activated carbon porosity	23
2.12	General properties activated carbon for variety of charcoal	25
2.13	Usage of PAC	27
2.14	Activated carbon of palm oil	28
2.15	Geometric view of full factorial (2 factor and three variables)	32
2.16	Steps of implementing full factorial DOE method	33
2.17	Phases of RSM	36
3.1	Activated carbon with 4/8 sieved from KD Technology Sdn Bhd.	41

3.2	Measuring amount of raw material for each experiment	42
3.3	Ball mill machine	43
3.4	Impact Sieve Shaker	44
3.5	Example of Endecotts sieve 150 μ m	45
3.6	Jadever balance	45
3.7	Field Emission-Scanning Electron Microscopy (FESEM)	46
3.8	Multilayer sieve shaker	49
3.9	Analyzing flow chart	50
4.1	Half-normal plot of effects for powder weight	53
4.2	Normal probability plot of residuals	55
4.3	Residual vs. predicted response for weight of powder	56
4.4	Outlier T plot for experiment	57
4.5	Interaction effect of ball number (A) and milling time (B)	58
4.6	Interaction between ball number (A) and ball diameter (D)	59
4.7	Interaction between mill time (B) and mill speed (C)	60
4.8	Interaction between mill speed (C) and ball diameter (D)	61
4.9	Range of powder weight in factor ACD	62
4.10	Perturbation plot for experiment	62
4.11	Normal probability plot of residuals	69
4.12	Plot of residuals vs. predicted response	69
4.13	Outlier T plots for response	70
4.14	Perturbation plot for response	71
4.15	3D surface graph for response	71
4.16	Weight of powder produced by using a variety ball size and quantity	77
4.17	Graph of cumulative mass pass percentage for each opening sieve size	78
4.18	Charcoal particle size in 3 condition of machining	79
4.19	Particles size for sample no. 1	81
4.20	Particle size for sample no. 2	82

4.21	Particle size for sample no. 3	82
------	--------------------------------	----

LIST OF ABBREVIATIONS/ SYMBOLS

AC	-	Activated carbon
ANOVA	-	Analysis of variance
BB	-	Box Behnken design
CB	-	Carbon block
CCD	-	Central composite design
CRS	-	Critical rotation speed
DOE	-	Design of experiment
EPA	-	Environmental protection agency
FESEM	-	Field emission scanning electron microscope
GAC	-	Granular activated carbon
HEBM	-	High energy ball milling
MnT	-	Million tonnes
PAC	-	Powder activated carbon
RSM	-	Response surface methodology
SAJ	-	Syarikat Air Johor
SEM	-	Scanning electron microscope
UV	-	Ultra violet
W_p	-	Mass pass a sieve
W_t	-	Total mass

LIST OF APPENDICES

APPENDIX	TITLE	PAGE
A	Specification of Powdered Activated Carbon by SAJ Holding Sdn Bhd	89
B	Box-Cox Plot for response (Full Factorial Design)	90
C	Detail ANOVA Table (Full Factorial Design)	91
D	Flowchart Outlining the Steps Undertaken in Statistical Analysis	92
E	Box-Cox Plot for Response Surface Quadratic Model	93
F-1	Powder Particles with a Certain Magnification for Sample no. 1	94
F-2	Powder Particles with a Certain Magnification for Sample no. 2	95
F-3	Powder Particles with a Certain Magnification for Sample no. 3	96